

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| 2 | 22 | tactic\$6 near2 agent | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:46 |
| 3 | 3 | (aerial near2 warfare) and (tactic\$6 near2 agent) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:46 |
| 4 | 144 | (703/17).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:47 |
| 5 | 854 | (703/2).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:47 |
| 6 | 130 | (703/20).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:47 |
| 7 | 66 | (706/30).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:50 |
| 8 | 147 | (706/60).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:50 |
| 9 | 77 | (706/905).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:50 |
| 10 | 20 | (706/913).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:50 |
| 1 | 15 | aerial near2 warfare | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:51 |
| 11 | 93 | aerial near2 (warfare or combat) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:52 |
| 12 | 3 | (tactic\$6 near2 agent) and (aerial near2 (warfare or combat)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:51 |
| 13 | 80 | aerial near2 (combat) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:52 |
| - | 0 | ("6360193").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/19 18:22 |

| | | | | |
|---|-------|--------------------|---|------------------|
| - | 22913 | aerial warfare | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/19 18:22 |
| - | 10 | aerial adj warfare | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/20 12:45 |

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| 2 | 22 | tactic\$6 near2 agent | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 14:12 |
| 3 | 3 | (aerial near2 warfare) and (tactic\$6 near2 agent) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:46 |
| 4 | 144 | (703/17).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:47 |
| 5 | 854 | (703/2).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:47 |
| 6 | 130 | (703/20).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:47 |
| 7 | 66 | (706/30).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:50 |
| 8 | 147 | (706/60).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:50 |
| 9 | 77 | (706/905).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:50 |
| 10 | 20 | (706/913).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:50 |
| 1 | 15 | aerial near2 warfare | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:51 |
| 11 | 93 | aerial near2 (warfare or combat) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:52 |
| 12 | 3 | (tactic\$6 near2 agent) and (aerial near2 (warfare or combat)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:51 |
| 13 | 80 | aerial near2 (combat) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 12:52 |
| 14 | 2162 | tactic\$6 and agent | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/08/20 14:12 |

| | | | | |
|----|-------|---|---|------------------|
| 15 | 2 | (aerial near2 (combat)) and (tactic\$6 and agent) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/20 14:12 |
| - | 0 | ("6360193").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/19 18:22 |
| - | 22913 | aerial warfare | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/19 18:22 |
| - | 10 | aerial adj warfare | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2003/08/20 12:45 |

CiteSeerFind: Searching for **PHRASE aerial combat agent tactic**.Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)**No documents match Boolean query. Trying non-Boolean relevance query.**1000 documents found. **Only retrieving 250 documents (System busy - maximum reduced).** Retrieving documents... **Order: relevance to query.**

[Adaptive Agent Tracking in Real-world Multi-Agent Domains: A.. - Milind Tambe \(1997\) \(Correct\) \(1 citation\)](#)
 episodes. Our experiments in simulated air-to-air **combat** environments have shown some interesting results
 Adaptive **Agent** Tracking in Real-world Multi-**Agent** Domains: A
 rehearsal, as well as for testing new doctrine, **tactics** and weapon system concepts. The realization of
www.isi.edu/~shen/agent.ps

[Implementing Agent Teams in Dynamic Multi-agent Environments - Tambe \(1997\) \(Correct\) \(5 citations\)](#)
 above principles, one for a real-world helicopter **combat** simulation, and one for the RoboCup soccer
 Implementing **Agent** Teams in Dynamic Multi-**agent** Environments Milind
www.cs.kuleuven.ac.be/~nico/robocup/./docs/AAl.ps.gz

[Fault-Tolerant Distributed Theorem Proving - Hickey \(1999\) \(Correct\) \(1 citation\)](#)
 proving together with computationally-intensive **tactic** applications that perform proof automation. As
 of speed, availability, and reliability in **tactic** provers. This architecture is implemented as a
 is completely transparent the existing **tactic** base is unmodified. 1 Introduction In recent
www.cs.cornell.edu/jyh/papers/cade16_dist/paper.ps

[A Pragmatic Approach to Reuse in Tactical Theorem Proving - Schairer, Autexier, Hutter \(2001\) \(Correct\) \(1 citation\)](#)
 A Pragmatic Approach to Reuse in **Tactical** In M. P. Bonacina and B. Gramlich (Eds.Proc.
 Abstract. In interactive theorem proving, **tactics** and **tacticals** have been introduced to automate
 In interactive theorem proving, **tactics** and **tacticals** have been introduced to automate proof search.
www.dfki.de/vse/papers/sah01.ps.gz

[A Proof Development System for the HOL Theorem Prover - Théry \(1993\) \(Correct\) \(1 citation\)](#)
 level, through the proof level and finally to the **tactic** level. 2 Theories HOL has the notion of theory
 proof starts with an initial goal, then commands (**tactics**) are applied to break this goal into several
 the remaining ones the construction of a **tactic** to be applied on the selected subgoal. As
babar.inria.fr/pub/centaur/chol/paper2.ps.Z

[Proving as Editing HOL Tactics - Takahashi, Hagiya \(1999\) \(Correct\)](#)
 3: 1-000 c 1999 BCS Proving as Editing HOL **Tactics** Koichi Takahashi 1 and Masami Hagiya 2 1
 113-0033, JAPAN Keywords: Higher Order Logic **Tactic**-Based Theorem Prover User interface Emacs
 in SML based on the Computing-as-Editing paradigm. **Tactics** in a proof script are considered as constraints,
nicosia.is.s.u-tokyo.ac.jp/pub/staff/hagiya/fac99/uitp-final.ps

[Generalization and Reuse of Tactic Proofs - Amy Felty And \(Correct\) \(7 citations\)](#)
 Generalization and Reuse of **Tactic** Proofs Amy Felty and Douglas Howe AT&T Bell
 Ave.Murray Hill, NJ 07974, USA. Abstract. A **tactic** proof is a tree-structured sequent proof where
 sequent proof where steps may be justified by **tactic** programs. We describe a prototype of a generic
ftp.research.bell-labs.com/dist/felty/lpar94.ps.gz

[A Prototype Design for Studying Emergent Battlefield.. - Through Multi-Agent.. \(Correct\)](#)
 that provides a framework for simulating a land **combat** situation using a multi-**agent** system. Emphasis is
 Emergent Battlefield Behaviour through Multi-**Agent** Simulation Paul Darbyshire Hussein Abbass
www.business.vu.edu.au/infosyspapers/docs/2000/DarbyshireP2000.pdf

[A Tactic Language for Ergo - Martin, Nickson, Utting \(1997\) \(Correct\) \(1 citation\)](#)
 4072 Australia Technical Report No. 97-16 A **Tactic** Language For Ergo Andrew Martin, Ray Nickson, And
 in the directory /pub/SVRC/techreports. A **Tactic** Language for Ergo Andrew Martin, Ray Nickson,

prover is under development. It uses a single **tactic** language, based on Angel, for **tactic** programming, svrc.it.uq.edu.au/techreports/tr97-16.ps.gz

Fast Tactic-based Theorem Proving - Hickey, Nogin (2000) (Correct)

Fast **Tactic**-based Theorem Proving Jason Hickey and Alexey

Theorem provers for higher-order logics often use **tactics** to code automated proof search. **Tactics** use a often use **tactics** to code automated proof search. **Tactics** use a procedural meta-language to perform both www.cs.cornell.edu/jyh/papers/cade16_fast/paper.ps

Differential Games and Symbolic Programming to Calculate a.. - Ménec (Correct)

Calculate a Guaranteed Aircraft Evasion in Modern **Aerial** Duels St'ephane Le M'enec Institut National de safety as soon as 1 Missile d'Interception de **Combat** et d'Auto-d'efense/Advanced Medium Range Air to ftp-sop.inria.fr/secoia/lemenec/soumission-cdc94.ps.Z

Incremental Proof Planning by Meta-Rules - Gerberding (1997) (Correct) (1 citation)

Abstract We propose a new approach to automated **tactical** theorem proving and proof planning: By using Via meta-rules contextual preconditions for **tactics** can be formulated in a transparent way. The interleaves proof planning, plan execution (**tactic** application) and reasoning about the **tactic**'s kirmes.inferenzsysteme.informatik.th-darmstadt.de/~stefan/FLAIRS97.ps.gz

Metavariables and Tactic Proofs (Draft) - Douglas Howe Department (Correct)

Metavariables and **Tactic** Proofs (Draft) Douglas J. Howe Department of the problem of integrating metavariables with **tactic**-based interactive theorem proving systems. We any logic and construct from it a class of **tactic** proofs that include **tactic** steps and ftp.research.bell-labs.com/dist/howe/lvars.ps.gz

Inducing Search Methods from Proofs - Lopes (1997) (Correct)

will be working with automated deduction based on **tactical** theorem proving and sequent calculus (27)As proving and sequent calculus (27)As in LCF, a **tactic** is procedure which maps a sequent to be proved prover contains for each inference rule one **tactic** mapping the conclusion of the rule to its agora.leeds.ac.uk/scs/doc/reports/1997/97_02.ps.Z

Beyond the single planning paradigm: introspective planning - Traverso, al. (1992) (Correct) (7 citations)

and plans are represented by expressions of type **tactic** 1 **Tactics** are programs in the MRG language: represented by expressions of type **tactic** 1 **Tactics** are programs in the MRG language: they activities of a planning system. For instance, a **tactic** can specify a set of actions to be executed in a ftp.mrg.dist.unige.it/pub/mrg-ftp/9204-05.ps.gz

Locating Shadows in Aerial Photographs Using Imprecise.. - Mark Stevens (1995) (Correct)

Science Technical Report Locating Shadows in **Aerial** Photographs Using Imprecise Elevation Data Mark www.cs.colostate.edu/~ftppub/TechReports/1995/tr95-105.ps.Z

A Feasibility Study To Control Airfoil Shape Using THUNDER - Jennifer Pinkerton (1997) (Correct) (2 citations)

P-51 Mustang, to permit high-lift maneuvering in **aerial combat** situations (ref. 1)Until the 1970's, Mustang, to permit high-lift maneuvering in **aerial combat** situations (ref. 1)Until the 1970's, however, techreports.larc.nasa.gov/pub/techreports/larc/1997/tm/NASA-97-tm4767.ps.Z

QoS Negotiation in Real-Time Systems and Its Application .. - Abdelzaher, Atkins, Shin (1997) (Correct) (26 citations)

to fly an F-16 fighter aircraft modeled using the **Aerial Combat** (ACM) F-16 Flight Simulator. Experimental an F-16 fighter aircraft modeled using the **Aerial Combat** (ACM) F-16 Flight Simulator. Experimental results rtcl.eecs.umich.edu/outgoing/zaher/negotiation.ps

First 20 documents [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeerFind: Searching for **PHRASE aerial combat agent tactic**.Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)**No documents match Boolean query. Trying non-Boolean relevance query.**1000 documents found. **Only retrieving 250 documents (System busy - maximum reduced).** Retrieving documents... **Order: relevance to query.**

[Adaptive Agent Tracking in Real-world Multi-Agent Domains: A.. - Milind Tambe \(1997\) \(Correct\) \(1 citation\)](#)
 episodes. Our experiments in simulated air-to-air **combat** environments have shown some interesting results
 Adaptive **Agent** Tracking in Real-world Multi-**Agent** Domains: A
 rehearsal, as well as for testing new doctrine, **tactics** and weapon system concepts. The realization of
www.isi.edu/~shen/agent.ps

[Implementing Agent Teams in Dynamic Multi-agent Environments - Tambe \(1997\) \(Correct\) \(5 citations\)](#)
 above principles, one for a real-world helicopter **combat** simulation, and one for the RoboCup soccer
 Implementing **Agent** Teams in Dynamic Multi-**agent** Environments Milind
www.cs.kuleuven.ac.be/~nico/robocup/./docs/AAl.ps.gz

[Fault-Tolerant Distributed Theorem Proving - Hickey \(1999\) \(Correct\) \(1 citation\)](#)
 proving together with computationally-intensive **tactic** applications that perform proof automation. As
 of speed, availability, and reliability in **tactic** provers. This architecture is implemented as a
 is completely transparent the existing **tactic** base is unmodified. 1 Introduction In recent
www.cs.cornell.edu/jyh/papers/cade16_dist/paper.ps

[A Pragmatic Approach to Reuse in Tactical Theorem Proving - Schairer, Autexier, Hutter \(2001\) \(Correct\) \(1 citation\)](#)
 A Pragmatic Approach to Reuse in **Tactical** In M. P. Bonacina and B. Gramlich (Eds.Proc.
 Abstract. In interactive theorem proving, **tactics** and **tacticals** have been introduced to automate
 In interactive theorem proving, **tactics** and **tacticals** have been introduced to automate proof search.
www.dfki.de/vse/papers/sah01.ps.gz

[A Proof Development System for the HOL Theorem Prover - Théry \(1993\) \(Correct\) \(1 citation\)](#)
 level, through the proof level and finally to the **tactic** level. 2 Theories HOL has the notion of theory
 proof starts with an initial goal, then commands (**tactics**) are applied to break this goal into several
 the remaining ones the construction of a **tactic** to be applied on the selected subgoal. As
babar.inria.fr/pub/centaur/chol/paper2.ps.Z

[Proving as Editing HOL Tactics - Takahashi, Hagiya \(1999\) \(Correct\)](#)
 3: 1-000 c 1999 BCS Proving as Editing HOL **Tactics** Koichi Takahashi 1 and Masami Hagiya 2 1
 113-0033, JAPAN Keywords: Higher Order Logic **Tactic**-Based Theorem Prover User interface Emacs
 in SML based on the Computing-as-Editing paradigm. **Tactics** in a proof script are considered as constraints,
nicosia.is.s.u-tokyo.ac.jp/pub/staff/hagiya/fac99/uitp-final.ps

[Generalization and Reuse of Tactic Proofs - Amy Felty And \(Correct\) \(7 citations\)](#)
 Generalization and Reuse of **Tactic** Proofs Amy Felty and Douglas Howe AT&T Bell
 Ave.Murray Hill, NJ 07974, USA. Abstract. A **tactic** proof is a tree-structured sequent proof where
 sequent proof where steps may be justified by **tactic** programs. We describe a prototype of a generic
ftp.research.bell-labs.com/dist/felty/lpar94.ps.gz

[A Prototype Design for Studying Emergent Battlefield.. - Through Multi-Agent.. \(Correct\)](#)
 that provides a framework for simulating a land **combat** situation using a multi-**agent** system. Emphasis is
 Emergent Battlefield Behaviour through Multi-**Agent** Simulation Paul Darbyshire Hussein Abbass
www.business.vu.edu.au/infosyspapers/docs/2000/DarbyshireP2000.pdf

[A Tactic Language for Ergo - Martin, Nickson, Utting \(1997\) \(Correct\) \(1 citation\)](#)
 4072 Australia Technical Report No. 97-16 A **Tactic** Language For Ergo Andrew Martin, Ray Nickson, And
 in the directory /pub/SVRC/techreports. A **Tactic** Language for Ergo Andrew Martin, Ray Nickson,

prover is under development. It uses a single **tactic** language, based on Angel, for **tactic** programming, svrc.it.uq.edu.au/techreports/tr97-16.ps.gz

Fast Tactic-based Theorem Proving - Hickey, Nogin (2000) (Correct)

Fast **Tactic**-based Theorem Proving Jason Hickey and Alexey

Theorem provers for higher-order logics often use **tactics** to code automated proof search. **Tactics** use a often use **tactics** to code automated proof search. **Tactics** use a procedural meta-language to perform both www.cs.cornell.edu/jyh/papers/cade16_fast/paper.ps

Differential Games and Symbolic Programming to Calculate a.. - Ménec (Correct)

Calculate a Guaranteed Aircraft Evasion in Modern **Aerial** Duels St'ephane Le M'enec Institut National de safety as soon as 1 Missile d'Interception de **Combat** et d'Auto-d'efense/Advanced Medium Range Air to ftp-sop.inria.fr/secoia/lemenec/soumission-cdc94.ps.Z

Incremental Proof Planning by Meta-Rules - Gerberding (1997) (Correct) (1 citation)

Abstract We propose a new approach to automated **tactical** theorem proving and proof planning: By using Via meta-rules contextual preconditions for **tactics** can be formulated in a transparent way. The interleaves proof planning, plan execution (**tactic** application) and reasoning about the **tactic's** kirmes.inferenzsysteme.informatik.th-darmstadt.de/~stefan/FLAIRS97.ps.gz

Metavariables and Tactic Proofs (Draft) - Douglas Howe Department (Correct)

Metavariables and **Tactic** Proofs (Draft) Douglas J. Howe Department of

the problem of integrating metavariables with **tactic**-based interactive theorem proving systems. We any logic and construct from it a class of **tactic** proofs that include **tactic** steps and ftp.research.bell-labs.com/dist/howe/lvars.ps.gz

Inducing Search Methods from Proofs - Lopes (1997) (Correct)

will be working with automated deduction based on **tactical** theorem proving and sequent calculus (27)As proving and sequent calculus (27)As in LCF, a **tactic** is procedure which maps a sequent to be proved prover contains for each inference rule one **tactic** mapping the conclusion of the rule to its agora.leeds.ac.uk/scs/doc/reports/1997/97_02.ps.Z

Beyond the single planning paradigm: introspective planning - Traverso, al. (1992) (Correct) (7 citations)

and plans are represented by expressions of type **tactic** 1 **Tactics** are programs in the MRG language: represented by expressions of type **tactic** 1 **Tactics** are programs in the MRG language: they activities of a planning system. For instance, a **tactic** can specify a set of actions to be executed in a ftp.mrg.dist.unige.it/pub/mrg-ftp/9204-05.ps.gz

Locating Shadows in Aerial Photographs Using Imprecise.. - Mark Stevens (1995) (Correct)

Science Technical Report Locating Shadows in **Aerial** Photographs Using Imprecise Elevation Data Mark www.cs.colostate.edu/~ftp/pub/TechReports/1995/tr95-105.ps.Z

A Feasibility Study To Control Airfoil Shape Using THUNDER - Jennifer Pinkerton (1997) (Correct) (2 citations)

P-51 Mustang, to permit high-lift maneuvering in **aerial combat** situations (ref. 1)Until the 1970's, Mustang, to permit high-lift maneuvering in **aerial combat** situations (ref. 1)Until the 1970's, however, techreports.larc.nasa.gov/pub/techreports/larc/1997/tm/NASA-97-tm4767.ps.Z

QoS Negotiation in Real-Time Systems and Its Application .. - Abdelzaher, Atkins, Shin (1997) (Correct) (26 citations)

to fly an F-16 fighter aircraft modeled using the **Aerial Combat** (ACM) F-16 Flight Simulator. Experimental an F-16 fighter aircraft modeled using the **Aerial Combat** (ACM) F-16 Flight Simulator. Experimental results rcl.eecs.umich.edu/outgoing/zaher/negotiation.ps

First 20 documents [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeerFind: [Documents](#)[Citations](#)Searching for **PHRASE aerial combat agent**.Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)**No documents match Boolean query. Trying non-Boolean relevance query.**1000 documents found. **Only retrieving 250 documents (System busy - maximum reduced).** Retrieving documents... **Order: relevance to query.**[Extraction Of Micro-Terrain Features - William Thompson University](#) (Correct)elevation data. While they are often apparent in **aerial** imagery, micro-terrain features are easily missed and trafficability, and therefore all units in a **combat** force. This area is included within the coverage www.cs.utah.edu/projects/robot/micro-terrain/pubs/micro-features.pdf[Air-Mobile ground surveillance and security system .. - Murphy, Bott.. \(1996\)](#) (Correct)could easily translate through the air and provide **aerial** surveillance. The AROD was controlled from a throughout the battlespace. AMGSSS will give **combat**, **combat-support**, and **combat-service-support** Center [NOSC] was the principal development **agent** on the system. GATERS consisted of a land-based, www.spawar.navy.mil/sti/publications/pubs/td/2914/td2914.pdf[Intelligent Agents: An Emerging Technology for Next.. - Magedanz, Rothermel.. \(1996\)](#) (Correct) (52 citations)1/9 Intelligent **Agents**: An Emerging Technology for Next Generationis gaining momentum, referred to as "Intelligent **Agents**" This paper provides an overview of the emerging an overview of the emerging field of Intelligent **Agents** (IAs) by identifying their basic properties.www.informatik.uni-stuttgart.de/ipvr/vs/Publications/1996-magedanz-01.ps.Z[A Simulation of Adaptive Agents in a Hostile Environment - Haynes, Wainwright \(1995\)](#) (Correct) (1 citation)A Simulation of Adaptive **Agents** in a Hostile Environment Thomas D. Haynes andto evolve programs to control an autonomous **agent** capable of learning how to survive in a hostile environment. In order to facilitate this goal, **agents** are run through random environment adept.cs.twsu.edu/~thomas/sac95.ps[Satellite Image Interpretation using Spatial Reasoning - Jane Brennan And](#) (Correct)GIS spatial model is often used in satellite or **aerial** image interpretation to describe the positioning www.cse.unsw.edu.au/~jbreannan/papers/brennan_51.ps.gz[Urban aerial image understanding using symbolic data. - Moissinac, Maître, Bloch \(1994\)](#) (Correct) (1 citation)Urban **aerial** image understanding using symbolic data. Henri www-ima.enst.fr/archive/Maitre/spie94.ps.gz[Hierarchical Hybrid System Design on Berkeley UAV - Koo, Shim, Shakernia.. \(1998\)](#) (Correct) (1 citation)as a visualization tool. A helicopter-based **aerial** vehicle has been constructed and the proposed the ground monitoring station. The **aerial** vehicle **agent** is able to operate with the independent computing HTTP.CS.Berkeley.EDU/~fhoffman/auvs98.ps.gz[Agent-Oriented Architecture for Air Combat Simulation - Rao, Lucas, Morley \(1993\)](#) (Correct) (17 citations)**Agent-Oriented Architecture for Air Combat Simulation** April, 1993 Technical Note 42 By:**Agent-Oriented Architecture for Air Combat Simulation**an even more complex programming environment. **Agent-oriented** architecture provides a suitable www.aaii.oz.au/pub/aaii-technotes/technote42.ps.gz[Distributed Sensor Interpretation: Modeling Agent.. - Norman Carver \(1993\)](#) (Correct) (2 citations)Distributed Sensor Interpretation: Modeling **Agent** Interpretations in DRESUN Norman Carver, Victor developed to explore the implications of having **agents** with more sophisticated evidential representations and control capabilities than the **agents** that were used in our earlier research with the www.cs.siu.edu/~carver/ps-files/tr93-75.ps.gz[Toolkits for a Distributed, Agent-Based Web Commerce System - Guanghao Yan](#) (Correct)June 3-5, 1998. Toolkits for a Distributed, **Agent-Based** Web Commerce System Guanghao Yan

becomes more dynamic and heterogeneous, software **agents**' have been touted as the new building blocks for whereby the Web is populated with as many software **agents** (involved in electronic commerce and other
www.cais.ntu.edu.sg:8000/~wkn/paper/ec98.ps

A Practical Analytic Model for Daylight - Preetham, Shirley, Smits (1999) (Correct) (3 citations)
 model that approximates the effects of atmosphere (**aerial** perspective) These models are fielded in a
www.cs.utah.edu/vissim/papers/sunsky/sunsky.ps.gz

Task Decomposition and Dynamic Role Assignment for Real-Time.. - Stone, Veloso (1998) (Correct) (16 citations)

missions [15]search and rescue, and battlefield **combat** [19]2 Team Member Architecture Our new Multiagent domains consisting of teams of **agents** that need to collaborate in an adversarial domains, as time-critical environments in which **agents** act autonomously with low communication, but they
www.cs.kuleuven.ac.be/~nico/robocup/./docs/stone.ps.gz

Constraints on the Design of a High-Level Model of Cognition - Jones, Laird (1997) (Correct) (1 citation)
 behavior flying simulated aircraft in tactical air **combat** training scenarios. The design of the system has of weapons, and communication between different **agents** in semi-natural language. The experts interpret environment at some level of representation. 3. The **agent**. The **agent** is a human or simulation model (in our
ai.eecs.umich.edu/people/laird/papers/tacair-cogsci.pdf

Global Combat Support System (GCSS) Operational Architecture - Overview And Summary (Correct)
 D R A F T D R A F T DCN 1674066-003-003 Global **Combat** Support System (GCSS) Operational Architecture J
gcss.jsj4.com/presentations/ovsumv3_2.pdf

Self-fulfilling Bias in Multiagent Learning - Hu, Wellman (1996) (Correct) (15 citations)
 is complicated by the fact that as other **agents** learn, the environment effectively changes. environment effectively changes. Moreover, other **agents**' actions are often not directly observable, and observable, and the actions taken by the learning **agent** can strongly bias which range of behaviors are
linux.eecs.umich.edu/.5/people/wellman/icmas96hu.ps.Z

The Common Agent - Multi-Protocol Management (Correct)
 The Common **Agent** A Multi-Protocol Management **Agent** The Common **Agent** is an implementation of an ISO **Agent** A Multi-Protocol Management **Agent** The Common **Agent** is an implementation of an ISO compliant
www.cs.nccu.edu.tw/~jong/reports/ps/common-a.ps.gz

Trust Appraisal and Secure Routing of Mobile Agents - Swarup (1997) (Correct) (3 citations)
 Trust Appraisal and Secure Routing of Mobile **Agents** Vipin Swarup The MITRE Corporation 202 adopt a fairly general computation model of mobile **agents**. **Agent** servers are abstract processors, e.g. fairly general computation model of mobile **agents**. **Agent** servers are abstract processors, e.g.individual
www.cs.nps.navy.mil/research/languages/statements/swarup.ps

LODQ6FKPRWJHU-iQ3DUDOL --OLXVVRQWy - Tu Kosice (1998) (Correct)
 Scheduling in a Multi-**Agent** Environment
 paralic,csonto@tuke.sk Abstract. A new scheduling **agent** for existing CIM multi-**agent** system is being A new scheduling **agent** for existing CIM multi-**agent** system is being currently developed at the
fs-kkui2.fei.tuke.sk/papers/1998/conf/basys.ps

Geospecific rendering of alpine terrain - Premoze, Thompson, Shirley (Correct)
 paper describes an approach for using panchromatic **aerial** imagery to produce color views of alpine scenes.
www.cs.utah.edu/vissim/papers/snowTerrain/terrain.ps.gz

LAVA: Secure Delegation of Mobile Applets: Design.. - Jatin Hansoty (Correct)
 Vouk, Wu All Rights Reserved Abstract Mobile **agents** are tasks or processes which can be autonomously application areas include, for example, intelligent **agent**, network and system management, web-based mobile attractive paradigm over the Internet, this mobile **agent** technology introduces significant new security
shang.csc.ncsu.edu/papers/esw.ps.gz

Documents 21 to 40 [Previous 20](#) [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - [citeseer.org](#) - [Terms of Service](#) - [Privacy Policy](#) - Copyright © 1997-2002 [NEC Research Institute](#)

CiteSeerFind: Searching for **PHRASE aerial combat agent**.Restrict to: [Header](#) [Title](#) Order by: [Citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Amazon](#) [B&N](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)**No documents match Boolean query. Trying non-Boolean relevance query.**1000 documents found. **Only retrieving 500 documents (System busy - maximum reduced).** Retrieving documents... **Order: relevance to query.**

[Adaptive Agent Tracking in Real-world Multi-Agent Domains: A.. - Milind Tambe \(1997\) \(Correct\) \(1 citation\)](#)
 episodes. Our experiments in simulated air-to-air **combat** environments have shown some interesting results
 Adaptive **Agent** Tracking in Real-world Multi-**Agent** Domains: A
 Adaptive **Agent** Tracking in Real-world Multi-**Agent** Domains: A Preliminary Report Milind Tambe,
www.isi.edu/~shen/agent.ps

[Implementing Agent Teams in Dynamic Multi-agent Environments - Tambe \(1997\) \(Correct\) \(5 citations\)](#)
 above principles, one for a real-world helicopter **combat** simulation, and one for the RoboCup soccer
 Implementing **Agent** Teams in Dynamic Multi-**agent** Environments Milind
 Implementing **Agent** Teams in Dynamic Multi-**agent** Environments Milind Tambe Information Sciences
www.cs.kuleuven.ac.be/~nico/robocup/./docs/AAl.ps.gz

[A Prototype Design for Studying Emergent Battlefield.. - Through Multi-Agent.. \(Correct\)](#)
 that provides a framework for simulating a land **combat** situation using a multi-**agent** system. Emphasis is
 Emergent Battlefield Behaviour through Multi-**Agent** Simulation Paul Darbyshire Hussein Abbass
 authors. Abstract Over the past few years, Multi-**Agent** Systems have become an important tool in
www.business.vu.edu.au/infosypapers/docs/2000/DarbyshireP2000.pdf

[Differential Games and Symbolic Programming to Calculate a.. - Ménéec \(Correct\)](#)
 Calculate a Guaranteed Aircraft Evasion in Modern **Aerial** Duels St'eophane Le M'enec Institut National de
 safety as soon as 1 Missile d'Interception de **Combat** et d'Auto-d'efense/Advanced Medium Range Air to
ftp-sop.inria.fr/secoia/lemenec/soumission-cdc94.ps.Z

[Locating Shadows in Aerial Photographs Using Imprecise.. - Mark Stevens \(1995\) \(Correct\)](#)
 Science Technical Report Locating Shadows in **Aerial** Photographs Using Imprecise Elevation Data Mark
www.cs.colostate.edu/~ftppub/TechReports/1995/tr95-105.ps.Z

[A Feasibility Study To Control Airfoil Shape Using THUNDER - Jennifer Pinkerton \(1997\) \(Correct\) \(2 citations\)](#)
 P-51 Mustang, to permit high-lift maneuvering in **aerial combat** situations (ref. 1)Until the 1970's,
 Mustang, to permit high-lift maneuvering in **aerial combat** situations (ref. 1)Until the 1970's, however,
techreports.larc.nasa.gov/pub/techreports/larc/1997/tm/NASA-97-tm4767.ps.Z

[QoS Negotiation in Real-Time Systems and Its Application .. - Abdelzaher, Atkins, Shin \(1997\) \(Correct\) \(26 citations\)](#)
 to fly an F-16 fighter aircraft modeled using the **Aerial Combat** (ACM) F-16 Flight Simulator. Experimental
 an F-16 fighter aircraft modeled using the **Aerial Combat** (ACM) F-16 Flight Simulator. Experimental results
rcl.eecs.umich.edu/outgoing/zaher/negotiation.ps

[Daedalus Battlefield Visualization System - Edward Riseman \(1996\) \(Correct\)](#)
 The terrain map will be produced from **aerial** images by the UMass terrain reconstruction system
 timely situation awareness for air and ground **combat** operations in order to improve force
vis-ftp.cs.umass.edu/Papers/riseman/iuw96_Daedalus.ps.gz

[GPS, Aerial triangulation, Block adjustment, Ground control accuracy - Ra Cy \(Correct\)](#)
 Gps Supported **Aerial** Triangulation Using Untargeted Ground Control
wwwphoto.eng.ohio-state.edu/isprs3/sympo98.man/pp02.ps

[Moose Aerial Observation Manual - Nest Technical Manual \(Correct\)](#)
 Moose **Aerial** Observation Manual NEST Technical Manual TM-008

www.borealscience.on.ca/pdfs/netm008.pdf

A Digital Airborne Camera System for Photogrammetry and.. - Helmut Heier Alexander (1999) (Correct)
camera system. 1. INTRODUCTION For many decades **Aerial** Cameras developed and manufactured by Carl Zeiss
www.ipi.uni-hannover.de/htm-deutsch/publikationen/1999/isprs-workshop/cd/pdf-papers/heier.pdf

Non-Linear Adaptive Auto-Pilot for Uninhabited Aerial.. - Maruthi Akella Center (Correct)
Non-Linear Adaptive Auto-Pilot for Uninhabited **Aerial Combat** Vehicles. Maruthi R, Akella Center for Adaptive Auto-Pilot for Uninhabited **Aerial Combat** Vehicles. Maruthi R, Akella Center for System
aero.tamu.edu/~kamesh/Papers/AIAA_99_Portland.pdf

AFV-II: Robotic Aerial Platform for Autonomous Robot Research - Anthony Lewis (Correct)
AFV-II: Robotic **Aerial** Platform for Autonomous Robot Research M.
usc.edu/pub/nn_robotics/papers/autonomous.robots/94/afv2.ps.Z

A Java Application Framework for Agent Based Systems - Kendall, Krishna, Pathak.. (2000) (Correct)
(1 citation)
A Java Application Framework for **Agent** Based Systems Elizabeth.A.Kendall, P.V.Murali
AUSTRALIA email :kendall@rmit.edu.au Abstract **Agents** are the next significant software abstraction, abstraction, especially for distributed systems. **Agent** based systems have been developed in response to
www.cse.rmit.edu.au/~rdsek/papers/frame.ps

A Sanctuary for Mobile Agents - Yee (1997) (Correct) (31 citations)
A Sanctuary for Mobile **Agents** Bennet S. Yee February 18, 1997 1 Introduction
is building a secure infrastructure for mobile **agents**, and examining the fundamental security limits of of computation. With standard approaches for **agent**-based systems, a malicious server has access to
www.cs.virginia.edu/~survive/DOCS/MA_sanctuary.ps

WORDS: Automatic tie point extraction, Aerial triangulation, Block .. - Ig Ht (Correct)
Iii/1 Key Words: Automatic Tie Point Extraction, **Aerial** Triangulation, Block Adjustment, Quality,
wwwphoto.eng.ohio-state.edu/isprs3/sympo98.man/pp08.ps

Microsoft TerraServer^TM - Tom Barclay Robert (Correct)
and Development John Hoffman, Natt Robb III, **Aerial** Images Hedy Rossmeissl, Beth Duff, George Lee,
research.microsoft.com/~gray/Papers/MSR_TR_98_17_TerraServer.pdf

Pitfalls of Agent-Oriented Development - Wooldridge, Jennings (1998) (Correct) (27 citations)
Pitfalls of **Agent**-Oriented Development Michael Wooldridge and
the theoretical and experimental foundations of **agent**-based systems are becoming increasingly well devoted to understanding the pragmatics of (multi-**agent** systems development -the everyday reality of
www.csee.umbc.edu/~nicholas/courses/691d/papers/paod.ps

On Entering an Open Society - Costa, Hübner, Bordini (1994) (Correct)
Abstract This paper concerns the problem of **agent** migration between open societies. In particular, In particular, it focuses on the problems of an **agent** entering an open society. Two functional levels [DEM 90]In particular, it deals with open multi-**agent** systems, here called open societies. The problem
www.cs.ucl.ac.uk/staff/ucacrhb/Publications/EnteringOpenSoc.ps.gz

Modelling Competitive Co-operation of Agents in a.. - Brazier, van Eck, Treur (1997) (Correct) (1 citation)
Modelling Competitive Co-operation of **Agents** in a Compositional Multi-**Agent** Framework Frances Co-operation of **Agents** in a Compositional Multi-**Agent** Framework Frances Brazier, Pascal van Eck and 1 Introduction In many multi-**agent** domains competitive **agents** need to co-operate. In
www.cs.vu.nl/~wai/Papers/EKAW97.exacc.ps

First 20 documents [Next 20](#)

Try your query at: [Amazon](#) [Barnes & Noble](#) [Google \(RI\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)